

Allday Timelog Pro



ALLDAY TIME SYSTEMS
Specialists in Standard & Computerized Time Recording Systems

Allday Timelog Pro

The complete solution to recording employee time and attendance

Allday Timelog Pro is an easy-to-operate yet



sophisticated solution to the time-keeping and administrative needs of modern businesses. The System enables all key aspects of your employees' working hours to be monitored and recorded, including overtime, holidays, sickness and absence.

Working Time Regulations are easily complied with and your personnel files kept right up-to-date. The system also enables project costing and productivity to be accurately measured as well as the preparation of payroll data and the

provision of access control facilities.

As a software-based product, Allday Timelog Pro is able to provide immediate, accurate data for cost-effective staff management.

The system can connect to your existing network with multiple terminals and remote sites; adding greater flexibility and efficiency to modern businesses' working practices.

Allday Timelog Pro is compatible with Windows 95/98/2000/NT and XP and is suitable for companies with 10 to 400 employees.

Clock Terminals

Common Features

Magnetic, Barcode and Proximity readers available
Easy programming for collection, storage and data forwarding
16 character backlight large display
Perpetual real-time clock
Battery protected 128K RAM (over 10,000 clocking memory)
RS232 and RS485 communications
Tone for audible badge acceptance
Built-in back-up battery
Independent off-line functioning
Power supply: 230 volts/50 Hz

System Requirements

IBM PC or compatible
Pentium 266Mhz Processor
Windows 95/98/NT/2000/XP
200Mb free Hard Disk space
64Mb RAM (Win 95 or 98)
128Mb RAM (Win NT/2000/XP)
CD ROM Drive
Keyboard, Mouse
SVGA Colour Monitor
Serial Communication Ports
RS232 and RS485 communications

Available Options

Industrial Terminal - metal case, barcode terminal with a facility for connecting a barcode gun

Biometric terminal - using fingerprint recognition and proximity

Access Control Hardware - Controller and Reader

TCP/IP

Internal 10Mb/100Mb network cards available on SY715, SY777 and SY 780 terminals

Allday Timelog Pro Terminals

SY 711 Terminal



SY 715 Terminal



SY 777 Industrial Terminal



SY 780 Biometric Terminal



SY 711 Features as left plus:
512K memory
Optional internal modem
Optional internal relay

SY 715 Features as SY711 plus:
Full numeric keypad
Optional TCP/IP and RS 422

SY 711 & SY 715
Dimensions (H x W x D):
17.2 x 11.7 x 6.4 cm
Weight: 700 g
Operating Temperature: 0-50 °C
Relative Humidity:
5-90% non-condensing

SY 777 Industrial Terminal Features
as above left plus:
Metal casing
Full numeric keypad
Additional reader port
Optional TCP/IP
Optional IP65 casing
Optional internal modem
Dimensions (H x W x D):
22.7 x 14.8 x 7.0 cm
Weight: 1400 g
Operating Temperature: 0-50 °C
Relative Humidity:
up to 95% non-condensing

SY 780 Biometric Terminal Features
as above left plus:
Full numeric keypad
2 built-in internal relays
2 external reader ports
Up to 4,000 fingerprint templates per terminal
Verification in less than 1 second
512K memory
Optional TCP/IP
Optional internal modem
Dimensions (H x W x D):
17.0 x 25.0 x 9.5 cm
Weight: 1120 g
Operating Temperature: 0-40 °C
Relative Humidity:
up to 95% non-condensing



ALLDAY TIME SYSTEMS
Specialists in Standard & Computerized Time Recording Systems

Head Office: 63 Osborne Road, Farnborough,
Hants, GU14 6AP

Tel 01252 544457 Fax 01252 544463

Email sales@alldaytime.co.uk

Regional offices in London, Leicester, Bristol, Brighton and Bournemouth